

article list

Das flexible Edelstahl-Installationsrohr The flexible stainless steel tube



WATER WAY stainless steel helical tube, 316L, PN16

Matchcode	name
WW1010XX	DN 15 - ½"
WW1020XX	DN 20 - ¾"
WW1030XX	DN 25 - 1"
WW1040XX	DN 32 - 1 1/4"
WW1050XX	DN 40 - 1 ½"
WW1060XX	DN 50 - 2"

XX=05m, 10m, 15m ,20m, 25m, 50m

fittings for helical tube, brass, sealing: graphite

Matchcode	name	image
helical pipe female		
wws010010	R 1⁄2"	
wws010020	R ¾"	
wws010030	R 1"	
wws010040	R 1 1/4"	-
helieel nine mele		
helical pipe male		
wws011010	1⁄2"	
wws011020	3/"	

WW3011010	/2	
wws011020	3/4"	
wws011030	1"	
wws011040	1 1/4"	

helical pipe elbow		Store and
wws012010	R ½"	
wws012020	R ¾"	
wws012030	R 1"	
wws012040	R 1 1/4"	

helical pipe tee

nonom pipo too		
wws013010	R 1⁄2"	
wws013020	R 3⁄4"	
wws013030	R 1"	
wws13040	R 1 1/4"	

helical pipe to male, flat sealed		
wws016019	1/2" - 3/4"	

wws010017	1/2" - 1"	
wws010018	$\frac{3}{4}'' - \frac{1}{2}''$	
wws010022	³ ⁄ ₄ " - 1"	
wws010033	1" - ¾"	
wws010035	1" - 1 ¼"	

helical pipe to nut

wws208908	$\frac{1}{2}'' - \frac{1}{2}''$	
wws015010	$\frac{1}{2} - \frac{3}{4}$	
wws015021	1⁄2" - 1 "	100 000
wws208909	³ / ₄ " - ¹ / ₂ "	
wws208910	³ / ₄ " - ³ / ₄ "	
wws208911	3⁄4" - 1"	
wws208912	1" - ¾"]
wws208913	1" - 1"	

helical pipe coupling

wws014010	R ½"	for the second s
wws014020	R ¾"	
wws014030	R 1"	C.L. M
wws014040	R 1 1/4"	

helical pipe connector

wws015013	1⁄2" – 18mm	
wws015014	1⁄2" - 22mm	
wws015034	¾" - 18mm	
wws015036	¾" - 22mm	
wws010034	1" - 18mm	
wws208851	1" - 28mm	

helical pipe compression fitting

wws010015	1⁄₂" – 12 clamp	
wws010013	1⁄2" – 15 clamp	the first and the second
wws010014	1⁄2" – 18 clamp	
wws010012	1/2" - 22 clamp	
wws010023	3/4" - 18 clamp	
wws010024	3⁄4" - 22 clamp	
wws010036	1" – 22 clamp	
wws010037	1" - 28 clamp	

conical spare sealing graphite		
wws010011	R ½"	
wws010021	R 3⁄4"	
wws010031	R 1"	
wws010041	R 1 1/4"	

WATER WAY stainless steel annular tube & fittings





WATER WAY stainless steel annular tube, 316L, PN10, 0,3mm			
Matchcode		name	
WW2010XX	DN 10 - 3/8"		
WW2020XX	DN 12 - ½"		
WW2030XX	DN 16 - ¾"		
WW2040XX	DN 20 - 1"		
WW2050XX	DN 25 - 1 1/4"		
WW2060XX	DN 32 - 1 ½"		
XX 05m 40m 45m 20m 25m 50m			

XX=05m, 10m, 15m ,20m, 25m, 50m

fittings for annular tube, brass

Matchcode		name	image
nut with supporting ring	& gasket		
ww020010	3/8" (DN10)		
ww020020	1⁄2" (DN12)		
ww020030	3⁄4" (DN16)		
ww020040	1" (DN20)		
ww020050	1 1/4" (DN25)	0	

straight fittings conne	ector male (flat sealed)	
ww021010	3/8" - 3/8"	
ww021011	1/2" - 1/2"	
ww021013	3/4" - 3/4"	
ww021015	1 " - 1"	
ww021016	1 1/4" - 1 1/4"	

ww021018	3/8" - ½"	
ww021020	1/2" - 3/4"	
ww021070	1⁄2 " - 1"	
ww021040	3⁄4" - 1 "	
ww021050	1" - 1 1/4"	
ww208883	1 1/4" - 1 1/2"	



WATER WAY stainless steel annular hose, 316L, PN6-10, 0,18mm

Matchcode	name
WW2009XX	DN 10 - 3/8"
WW2019XX	DN 12 - ½"
WW2029XX	DN 16 - ¾"
WW2039XX	DN 20 - 1"
WW2049XX	DN 25 - 1 1/4"
WW2059XX	DN 32 - 1 1/2"

fittings for annular hose, brass

Matchcode		name	image
nut with supporting ring & gas	ket		
ww020012	3⁄4" (DN10)		
ww020013	1⁄2" (DN12)		
ww020014	3⁄4" (DN16)		
ww020008	1" (DN20)		
ww020019	1 1/4" (DN25)	-	

straight fittings connector male (flat sealed)		
ww021010	3/8" - 3/8"	
ww021011	1/2" - 1/2"	
ww021013	3/4" - 3/4"	
ww021015	1 " - 1"	
ww021016	1 1/4" - 1 1/4"	

ww021018	3/8" - 1/2"	
ww021020	1/2" - 3/4"	
ww021070	1⁄2 " - 1"	
ww021040	3⁄4" - 1 "	
ww021050	1" - 1 1/4"	
ww208883	1 1/4" - 1 ½"	

compression ring nut design

ww025055	1⁄2" x 12	
ww025013	½" x 15	
ww025052	3⁄4" x 18	
ww025057	3⁄4" x 22	
ww025035	1 " x 22	
ww025066	1 " x 28	

compression fittings with brass ring, flat sealed		
ww025010	½" x 15	
ww025020	1⁄2" x 18	
ww025050	3⁄4" x 18	
ww025060	3⁄4" x 22	

ww025037	1 " x 22	
ww025000	12 - 12	
ww025012	15 - 15	The art
ww025022	18 - 18	
ww025032	22 - 22	

compression fittings 90°, flat sealed		
ww025005	½" - 12 (90°)	
ww025041	¾" - 15 (90°)	
ww025051	¾" - 18 (90°)	
ww025064	1" - 22 (90°)	and the second sec

ww025004	12 - 12 (90°)	
ww025019	15 - 15 (90°)	S-1.00
ww025024	18 - 18 (90°)	Contraction of the second
ww025034	22 - 22 (90°)	

inserts		
ww028092	12	
ww025100	15	
ww025095	18	
ww025115	22	

brass tee, flat sealed		
ww021601	1/2" x 1/2" x 1/2" (female)	
ww021602	3⁄4" x 3⁄4" x 3⁄4" (female)	
ww021603	1 " x 1" x 1" (female)	
ww021605	1/2" x 1/2" x 1/2" (male)	
ww021606	3⁄4" x 3⁄4" x 3⁄4" (male)	
ww021607	1" x 1" x 1" (male)	

annular hose male		
ww290020	DN 12 x ½"	
ww300020	DN 16 x ½"	
ww300021	DN 16 x ¾"	
ww300022	DN 16 x 1"	- A
ww310020	DN 20 x ¾"	A REAL PROPERTY AND A REAL
ww310021	DN 20 x 1"	
ww320020	DN 25 x 1"	Section of
ww320021	DN 25 x 1 1/4"	
ww330022	DN 32 x 1 1/4"	
ww330024	DN 32 x 3/4"	
ww330025	DN 32 x 1"	
ww340023	DN 40 x 1 1/2"	

annular hose female		
ww290005	DN 12x 1/2"	

ww300010	DN 16 x 1⁄2"
ww300011	DN 16 x ¾"
ww300012	DN 16 x 1"
ww310010	DN 20 x ¾"
ww310011	DN 20 x 1"
ww320010	DN 25 x 1"
ww330013	DN 32 x 1 1/4"
ww330014	DN 32 x 1"
ww340014	DN 40 x 1 1/2"



annular hose coupling	9	
ww290030	DN 12 x DN 12	
ww300030	DN 16 x DN 16	
ww310030	DN 20 x DN 20	
ww320030	DN 25 x DN 25	1999
ww330031	DN 32 x DN 25	
ww330030	DN 32 x DN 32	



annular hose compression fitting

•		
ww290041	DN 12×15 mm clamp	
ww300040	DN 16 x 15mm clamp	
ww300042	DN 16 x 18mm clamp	
ww300041	DN 16 x 22mm clamp	
ww310043	DN 20 x 15mm clamp	
ww310041	DN 20 x 18mm clamp	
ww310040	DN 20 x 22mm clamp	
ww320045	DN 25 x 15mm clamp	
ww320041	DN 25 x 18mm clamp	
ww320040	DN 25 x 22mm clamp	
ww330040	DN 32×22 mm clamp	

annular hose connector ww290052 DN 12×15 mm DN 16 x 15mm ww310052 DN 16 x 18mm ww310053 ww310054 DN 16 x 22mm ww310051 DN 20 x 18mm ww310050 DN 20 x 22mm DN 25 x 22mm DN 25 x 28mm ww310055 ww310056 ww330050 DN 32×22 mm



spare parts – gasket

NBR, stabilized fibers, 180 °C		(
ww022010	3/8"	()
ww022020	1/2"	
ww022030	3/4"	
ww022040	1"	0
ww022050	1 1/4"	

PTFE, teflon, compound 260°C		
wws022010	3/8"	0
wws022020	1⁄2"	0

wws022030	3⁄4"	$O \cap$
wws022040	1"	-
wws022050	1 1/4"	

WATER WAY Heat pump



WATER WAY Twinway - Split corrugated hose heat pump

Matchcode	name	image
14mm insulation		
wws205000	Twinway split DN 25-1 1/4", without control cable	
wws205010	Twinway split DN 25-1 1/4", with control cable (silicone, 2-wire)	
wws207100	Twinway split DN32-1 1/2", without control cable	
wws207101	Twinway split DN 32-1 1/2", with control cable (silicone, 2-wire)	

20mm insulation		
wws205100	Twinway split DN 25-1 1/4", without control cable	
wws205110	Twinway split DN 25-1 1/4", with control cable (silicone, 2-wire)	
wws207110	Twinway split DN32-1 1/2", without control cable	
wws207111	Twinway split DN 32-1 1/2", with control cable (silicone, 2-wire)	

WATER WAY Twinway – Split corrugated hose heat pump Nano

11mm insulation		
wwn352500	Twinway split DN 25-1 1/4", without control cable	
wwn352501	Twinway split DN 25-1 1/4", with control cable (silicone, 2-wire)	
13mm insulation		
	Twinway split DN 32-1 1/2", without control cable	
wwn353200		

wwn353201	Twinway split DN 32-1 1/2", with control cable	
ww1353201	(silicone, 2-wire)	

WATER WAY Oneway – Split corrugated hose heat pump

14mm insulation		
	Oneway DN 25 1 1/4" without/with control cable	
wws1530-00/01	(silicone, 2 wires)	
wws1540-00/01	Oneway DN 32 1 1/2" without/with control cable	
wws1540-00/01	(silicone, 2 wires)	

20mm insulation		
	Oneway DN 25 1 1/4" without/with control cable	
wws1530-02/03	(silicone, 2 wires)	
New 01540,02/02	Oneway DN 32 1 1/2" without/with control cable	
wws1540-02/03	(silicone, 2 wires)	

WATER WAY Oneway –Split corrugated hose heat pump Nano

11mm insulation		and
wwn153000	One-way split DN 25-1 1/4", without control cable	
wwn153001	One-way split DN 25-1 1/4", with control cable (silicone, 2-wire)	

13mm insulation		and the second
wwn154000	One-way split DN 32-1 1/2", without control cable	
IWWN154001	One-way split DN 32-1 1/2", with control cable (silicone, 2-wire)	

WATER WAY solar system



WATER WAY Twinway – Split (helical pipe)

Matchcode	name	image
14mm insulation		
wws301016	Twinway-Split DN 15-1/2", without control cable	
wws301017	Twinway-Split DN 15-1/2", with control cable, silicone, 2-wire	NA A
wws302014	Twinway-Split DN20-¾", without control cable	

wws302012	Twinway-Split DN 20-¾", with control cable, silicone, 2-wire	And A
wws303010	Twinway-Split DN 25-1", without control cable	
wws303011	Twinway-Split DN 25-1", with control cable, silicone, 2-wire	

20 mm insulation		
wws301010	Twinway-Split DN 15-1/2", without control cable	- (-
wws301011	Twinway-Split DN 15-1/2", with control cable, silicone, 2-wire	
wws302010	Twinway-Split DN20-3/4", without control cable	
wws302011	Twinway-Split DN 20-¾", with control cable, silicone, 2-wire	
wws303014	Twinway-Split DN 25-1", without control cable	
wws303012	Twinway-Split DN 25-1", with control cable, silicone, 2-wire	

WATER WAY Twinway - Split (annular hose)


14mm insulation		and the second sec
wws203000	Twinway-Split DN 16-¾", without control cable	
wws203010	Twinway-Split DN 16-¾", with control cable, silicone, 2-wire	
wws204000	Twinway-Split DN20-1", without control cable	
wws204010	Twinway-Split DN 20-1", with control cable, silicone, 2-wire	
wws205000	Twinway-Split DN 25-1 1/4", without control cable	
wws205010	Twinway-Split DN 25-1 1/4", with control cable, silicone, 2-wire	

20mm insulation		
wws203100	Twinway-Split DN 16-¾", without control cable	
wws203110	Twinway-Split DN 16-¾", with control cable, silicone, 2-wire	
wws204100	Twinway-Split DN20-1", without control cable	
wws204110	Twinway-Split DN 20-1", with control cable, silicone, 2-wire	
wws205100	Twinway-Split DN 25-1 1/4", without control cable	
wws205110	Twinway-Split DN 25-1 1/4", with control cable, silicone, 2-wire	

WATER WAY Oneway (helical pipe)

14mm insulation		
wws1110-17/12	Oneway DN 15 ¹ / ₂ " without / with control cable, silicone, 2-wire	A/

IWWS1120-18/13	Oneway DN 20 ¾" without / with control cable, silicone, 2-wire	
1WWS1130-08/09	Oneway DN 25 1" without / with control cable, silicone, 2-wire	
wws1140-03/04	Oneway DN 32 1 1/4" without / with control cable, silicone, 2-wire	



WATER WAY Oneway (annular hose)

14mm insulation		
wws1510-00/01	Oneway DN 16 ³ / ₄ " without / with control cable (silicone, 2-wire)	
wws1520-00/01	Oneway DN 20 1" without / with control cable (silicone, 2-wire)	
wws1530-00/01	Oneway DN 25 1 1/4" without / with control cable (silicone, 2-wire)	
wws1540-00/01	Oneway DN 32 1 ¹ / ₂ " without / with control cable (silicone, 2-wire)	

20mm insulation		
wws1510-02/03	Oneway DN 16 ³ / ₄ " without / with control cable (silicone, 2-wire)	8
wws1520-02/03	Oneway DN 20 1" without / with control cable (silicone, 2-wire)	
wws1530-02/03	Oneway DN 25 1 1/4" without / with control cable (silicone, 2-wire)	
wws1540-02/03	Oneway DN 32 1 ¹ / ₂ " without / with control cable (silicone, 2-wire)	

WATER WAY Twinway copper - split

······································		
Matchcode	name	image
wws5000121	Twinway - copper 12 x 0,8 with control cable	
wws5000151	Twinway - copper 15 x 0,8 with control cable	
wws5000181	Twinway - copper 18 x 1 with control cable	

other products



WATER WAY Oneway hp for heat pumps (helical tube)

Matchcode	name	image
14mm insulation		~
wws1130-08/09	Oneway DN 25 1" without / with control cable (silicone, 2-wire)	
wws1140-03/04	Oneway DN 32 1 1/4" without / with control cable (silicone, 2-wire)	

20mm insulation		
	Oneway DN 25 1" without / with control cable (silicone, 2-wire)	
10/0/\$1140-05/06	Oneway DN 32 1 1/4" without / with control cable (silicone, 2-wire)	

circulation lines		
Matchcode	name	image
wwk270107	circulation line consisting of: T-piece with female 1" and soldered joint 1" male x 1/2" male with annular tube DN8, length:600mm	
wwk270109	circulation line consisting of: T-piece with female 1 1/4" and soldered joint 1 1/4" male x 1/2" female with annular tube DN8, length:800mm	

vessel connectors / annuler hose sets

Matchcode	name	image
DN 32		
ww260101	DN 32, 100 mm	2.4
ww260402	DN 32, 400 mm	
ww260651	DN 32, 650 mm	111 °
DN 40		
ww270101	DN 40, 100 mm	-
ww270721	DN 40, 720 mm	

accessories

Matchcode	name	image
ww050010	stainless steel debur	
ww050550	heat-shrink tube	

clamp-set (clamp / dowel / bolt)

Matchcode	name	image
ww050152	85 x 45/55 DN 15/16	
ww050154	115 x 55/65 DN20	
ww050155	125 x 65/75 DN 25	